



BIBLIOGRAFIA LINEA PROGETTUALE 5

Azione 1

- Ahmad S, Ahmad A, McConville G, Schneider BK, Allen CB, Manzer R, Mason RJ, White CW. Lung epithelial cells release ATP during ozone exposure: signaling for cell survival. *Free Radic Biol Med* 2005;39:213-26.
- Di Virgilio F. New pathways for reactive oxygen species generation in inflammation and potential novel pharmacological targets. *Curr Pharm Des* 2004;10:1647-52.
- Ferrari D, Pizzirani C, Adinolfi E, Lemoli RM, Curti A, Idzko M, Panther E, Di Virgilio F. The P2X7 receptor: a key player in IL-1 processing and release. *J Immunol* 2006;176:3877-83.
- Martinon F, Burns K, Tschopp J. The inflammasome: a molecular platform triggering activation of inflammatory caspases and processing of IL-1 β . *Mol Cell* 2002;10:417-26.
- Oberdörster G, Oberdörster E, Oberdörster J. Nanotoxicology: an emerging discipline evolving from studies of ultrafine particles. *Environ Health Persp* 2005;113:823-39.
- Ogura Y, Sutterwala F S, Flavell RA. The inflammasome: first line of the immune response to stress. *Cell* 2006;126:659-62.

Azione 2

- Brits E, Schoeters G, Verschaeve L. Genotoxicity of PM₁₀ and extracted organics collected in an industrial, urban and rural area in Flanders, Belgium. *Environ Research* 2004;96:109-118.
- Cassoni F, Bocchi C, Martino A, Pinto G, Fontana F, Buschini A. The Salmonella mutagenicity of urban airborne particulate matter (PM_{2,5}) from eight sites of the Emilia-Romagna regional monitoring network (Italy). *Sci Total Environ* 2004;324:79-90.
- De Kok TM, Drieste HA, Hogervorst JG, Briedé JJ. Toxicological assessment of ambient and traffic-related particulate matter: a review of recent studies. *Mutat Res* 2006;613:103-22.
- Fenech M. The in vitro micronucleus technique. *Mutat Res* 2000;455:81-95.
- Healey K, Lingard JJ, Tomlin AS, Hughes A, White KL, Wild CP, Routledge MN. Genotoxicity of size-fractionated samples of urban particulate matter. *Environ Mol Mutagen* 2005;45:380-7.
- Maron DM, Ames BN. Revised methods for the Salmonella mutagenicity test. *Mutat Res* 1983;113:173-215.
- Massolo L, Müller A, Tueros M, Rehwagen M, Franck U, Ronco A, Herbarth O. Assessment of mutagenicity and toxicity of different fractions of air particulates from La Plata, Argentina, and Leipzig, Germany. *Environ Toxicol* 2002;17(3):219-31.
- Mouchet F, Gauthier L, Mailhes C, Jourdain MJ, Ferrier V, Triffault G, Devaux A. Biomonitoring of the genotoxic potential of aqueous extracts of soils and bottom ash resulting from municipal solid waste incineration, using the comet and micronucleus tests on amphibian

(*Xenopus laevis*) larvae and bacterial assays (Mutatox® and Ames tests). *Sci Total Environ* 2006;355:232-46.

- Pope CA III, Burnett RT, Thun MJ, Calle EE, Krewski D, Ito K, Thurston GD. Lung Cancer, Cardiopulmonary Mortality and Long-term Exposure to Fine Particulate Air pollution. *JAMA* 2002;287(9):1132-41.
- Rossi C., Poli P., Buschini A., Cassoni F., Galli A., Vellosi R., Del Carratore R. (1991). Genetic activity of samples collected from a waste incinerator and its neighboring areas. *Toxicological and Environmental Chemistry* 30: 51-61.
- Rossi C., Poli P., Buschini A., Campanini N., Vettori M.V., Cassoni F. (1992). Persistence of genotoxicity in the area surrounding an incineration plant. *Toxicological and Environmental Chemistry* 36: 75-87.
- Singh NP, McCoy MT, Tice RR, Schneider EL. A simple technique for quantitation of low levels of DNA damage in individual cells. *Exp Cell Res* 1988; 175:184-91.
- Wesp HF, Tang X, Edenharder R. The influence of automobile exhausts on mutagenicity of soils: contamination with, fractionation, separation, and preliminary identification of mutagens in the Salmonella/reversion assay and effects of solvent fractions on the sister-chromatid exchanges in human lymphocyte cultures and in vivo mouse bone marrow micronucleus assay. *Mutat Res* 2000;472:1-21.
- White PA, Claxton LD. Mutagens in contaminated soil: a review. *Mutat Res* 2004;567:227-345.

Azione 3

- Bagley ST, Stoltz SL, Becker DM, Keen RE. Characterization of organic extracts from standard reference materials 1649, 'urban dust/organics,' and 1650, 'diesel particulate matter', using a microsuspension assay. A WHO/IPCS/CSCM study. *Mutat Res* 1992;276:81-6.
- Baulig A, Sourdeval M, Meyer M, Marano F, Baeza-Squiban A. Biological effects of atmospheric particles on human bronchialepithelial cells. Comparison with diesel exhaust particles. *Toxicol in Vitro* 2003; 17:567-73.
- Baulig A, Poirault J, Kausset P, Chins R, Shi T, Baralle D, Dorlhene P, Meyer M, Lefevre R, Baeza-Squiban A, Marano F. Physicochemical characteristics and biological activities of seasonal atmospheric particulate matter sampling in two locations of Paris. *Environ Sci Technol* 2004;38:5985-92.
- Brown LE, Trought KR, Bailey CI, Clemons JH. 2,3,7,8-TCDD equivalence and mutagenic activity associated with PM10 from three urban locations in New Zealand. *Sci Total Environ* 2005;349:161-74.
- Colacci A, Perocco P, Vaccari M, Da Vià C, Silingardi P, Manzini E, Horn W, Bartoli S, Grilli S. 1,2-Dibromoethane as initiating agent for cell transformation. *Jpn J Cancer Res* 1995;86: 168-73.
- Colacci A, Vaccari M, Perocco P, Da Vià C, Silingardi P, Manzini E, Horn W, Grilli S. Enhancement of BALB/c 3T3 cells transformation by 1,2-dibromoethane promoting effect. *Carcinogenesis* 1996;17:225-31.
- Combes R, Balls M, Curren R, Fischbach M, Fusening N, Kirkland D, Lane C, Landolph J, LeBoeuf R, Marquardt H, Mc Cormick J, Müller L, Rivedal E, Sabbioni E, Tanaka N, Vassuer P e Yamasaki H. Cell transformation assay as predictors of human carcinogenicity. The report and recommendation of ECVAM Workshop 39. *Altern Lab Anim* 1999;27:745-67..

- Franchini M, Rial M, Buratti E, Bianchi F. Health effects of exposure to waste incinerator emissions: a review of epidemiological studies. *Ann Ist Super Sanità* 2004;40(1):101-15.
- Hu SW, Chen CC, Kuo CY, Lin WH, Lin P. Increased cytochrome P4501B1 gene expression in peripheral leukocytes of municipal waste incinerator workers. *Toxicol Lett* 2006;160:112-20.
- Kakunaga T. A quantitative system for assay of malignant transformation by chemical carcinogens using a clone derived from BALB/3T3. *Int J Cancer* 1973;12:463-73.
- Kakunaga T. Critical review of the use of the established cell lines for in vitro cell transformation. In: Kakunaga T, Yamasaki H (Ed.). Transformation Assay of Established Cell Lines: Mechanisms and Application. Proceedings of a workshop organized by IARC in collaboration with the US National Cancer Institute and the US Environmental Protection Agency. Lyon, 15-17 February 1984. *IARC Sci Publ* 1985;67:55-73.
- Poma A, Limongi T, Pisani C, Granato V, Picozzi P. Genotoxicity induced by fine urban air particulate matter in the macrophages cell line RAW 264.7. *Toxicol in Vitro* 2006;20(6):1023-9.
- Matthews EJ. Transformation of BALB/c 3T3 Cells: II. Investigation of experimental parameters that influence detection of benzo[a]pyrene-induced transformation. *Environ Health Perspect* 1993;101(Suppl. 2):293-310.
- Morandi E, Zingaretti C, Chiozzotto D, Severini C, Semeria A, Horn W, Vaccari M, Serra R, Silingardi P, Colacci A. A cDNA-microarray analysis of camptothecin resistance in glioblastoma cell lines. *Cancer Lett* 2006; 231:74-86.
- Schauer C, Niessner R, Poschl U. Polycyclic Aromatic Hydrocarbons in Urban Air Particulate Matter: Decadal and Seasonal Trends, Chemical Degradation, and Sampling Artifacts. *Environ Sci Technol* 2003;37:2861-8.
- Zhao X, Wan Z, Zhu H, Chen R. The carcinogenic potential of extractable organic matter from urban airborne particles in Shanghai, China. *Mutat Res* 2003;540:107-17.

Azione 4

- Mahadevan B, Keshava, C, Musafia-Jeknic T, Pecaj A, Weston A, Baird WM. Altered Gene expression Patterns in MCF-7 Cells Induced by the Urban Dust Particulate Complex Mixture Standard Reference Material 1649a. *Cancer Res* 2005;65:1251-8.
- Van Leeuwen DM, van Herwijnen MH, Pedersen M, Knudsen LE, Kirsch-Volders M, Sram RJ, Staal YC, Bajak E, van Delft JH, Kleinjans JC. Genome-wide differential gene expression in children exposed to air pollution in the Czech Republic. *Mutat Res* 2006; 600:12-22.

Azione 5

- Bianchi F, Minichelli F. Mortalità per linfomi non Hodgkin nel periodo 1981-2001 in 25 comuni italiani con inceneritori di rifiuti solidi urbani. *Epidemiol Prev* 2006;30 (2):80-1.
- Bobak M, Leon DA. The effect of air pollution on infant mortality appears specific for respiratory causes in the postneonatal period. *Epidemiology* 1999;10:666-70.
- Office of Environmental Health Hazard Assessment (OEHHA). *Air Toxics Hot Spots Program Risk Assessment Guidelines. Part II. Technical Support Document for Describing Available Cancer Potency Factors*. Berkley, CA: Air Toxicology and Epidemiology Section; May 2005.

- Colacci A, Perocco P, Vaccari M, Da Vià C, Silingardi P, Manzini E, Horn W, Bartoli S, Grilli S. 1,2-Dibromoethane as initiating agent for cell transformation. *Jpn J Cancer Res* 1995;86: 168-73.
- Colacci A, Vaccari M, Perocco P, Da Vià C, Silingardi P, Manzini E, Horn W, Grilli S. Enhancement of BALB/c 3T3 cells transformation by 1,2-dibromoethane promoting effect. *Carcinogenesis* 1996;17:225-31
- International Agency for Research on Cancer (IARC). *Monographs on the Evaluation of the Carcinogenic Risk to Humans*. Lyon: International Agency for Research on Cancer.
- International Program on Chemical Safety (IPCS). International Programme on Chemical Safety (IPCS). *IPCS Environmental Health Criteria 202: Selected non-heterocyclic polycyclic aromatic hydrocarbons*. Geneva: World Health Organization; 1998.
- U.S. Environmental Protection Agency. *Integrated Risk Information System (IRIS)*. Disponibile all'indirizzo: <http://www.epa.gov/iris/search.htm> or <http://www.nlm.nih.gov/> (tramite Toxnet Database).
- Toxicology Data Network (Toxent). *International Toxicity Estimates for Risk (ITER)*. U.S. National Library of Medicine (NLM). Disponibile all'indirizzo: <http://www.nlm.nih.gov/> .
- Perocco P, Colacci A, Santucci MA, Vaccai M, Grilli S. Transforming activity of ethylene dibromide in BALB/c 3T3. *Res Comm Chem Pathol Pharmacol* 1991;73: 159-72.
- Pope CA III, Dockery DW. Health effects of fine particulate air pollution: lines that connect. *J Air Waste Manage Assoc* 2006;56:709-42. (PM10 PM2,5 metanalisi)
- Baars AJ, Theelen RM, Janssen PJ, Hesse JM, Apeldoorn ME van, Meijerink MC, Verdam L, Zeilmaker MJ. *Re-evaluation of human-toxicological maximum permissible risk levels*. RIVM Report 711701 025. Bilthoven: National Institute for Public Health and the Environment (RIVM); 2001.
- Subramaniam RP, White P, Cogliano VJ. Comparison of cancer slope factors using different statistical approaches. *Risk Anal* 2006;26:825-30.
- U.S. Environmental Protection Agency. Proposed guidelines for Carcinogenic Risk Assessment (April 23, 1996). EPA/600/P-92/003C. *Fed Reg* 61 1996;(79):17960-18011.
- U.S. Environmental Protection Agency. *Guidelines for Carcinogen Risk Assessment*. EPA/630/P-03/001B. Washington, D.C.: U.S. EPA; 2005.
- U.S. Environmental Protection Agency. *NCEA Benchmark Dose Software*. Disponibile all'indirizzo: <http://cfpub.epa.gov/ncea/>
- World Health Organization (WHO) Europe. *WHO air quality guidelines global update 2005*. Report on a working group meeting, Bonn, Germany 18-20 October 2005. Copenhagen: WHO; 2005.